

Court of Common Pleas of Philadelphia County
 Trial Division
Civil Cover Sheet

For Prothonotary Use Only (Docket Number)

MARCH 2009 005166

PLAINTIFF'S NAME In Re: Digitek Litigation	DEFENDANT'S NAME Actavis Totowa, LLC
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS 1 New England Avenue, Piscataway, NJ 08854
PLAINTIFF'S NAME	DEFENDANT'S NAME Actavis Inc.
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS 60 Columbia Road, Bldg. B, Morristown, NJ 07960
PLAINTIFF'S NAME	DEFENDANT'S NAME Actavis Group hf
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS Dalshraun 1 220, Hafnarfjörður, Iceland

Handwritten notes:
 3-26-09
 11:30
 OFFICE OF THE PROTHONOTARY
 REGISTER 2 292 CH

TOTAL NUMBER OF PLAINTIFFS 55	TOTAL NO. OF DEFENDANTS 10	COMMENCEMENT OF ACTION <input checked="" type="checkbox"/> Complaint <input type="checkbox"/> Writ of Summons <input type="checkbox"/> Petition Action <input type="checkbox"/> Transfer From Other Jurisdiction	DATE: 04/26/09 TIME: 04:42 TICKET NO: 483451 CASE NO: 090305166 TOTAL AMT: \$ 700.00 Notice of Appeal REGISTER 2 292 CH
---	--------------------------------------	--	--

AMOUNT IN CONTROVERSY <input type="checkbox"/> \$50,000.00 or less <input checked="" type="checkbox"/> More than \$50,000.00	COURT PROGRAMS <input type="checkbox"/> Arbitration <input checked="" type="checkbox"/> Jury <input type="checkbox"/> Non-Jury <input type="checkbox"/> Other:	<input checked="" type="checkbox"/> Mass Tort <input type="checkbox"/> Savings Action <input type="checkbox"/> Petition	<input type="checkbox"/> Minor Court Appeal <input type="checkbox"/> Statutory Appeals <input type="checkbox"/> Commerce (Completion of Addendum Required)	CASHIER: SP CUSTOMER: Cash <input checked="" type="checkbox"/> Settlement <input type="checkbox"/> <input type="checkbox"/> Minors <input type="checkbox"/> W/D/Survival
--	--	---	--	---

CASE TYPE AND CODE (SEE INSTRUCTIONS)
5166

STATUTORY BASIS OR CAUSE OF ACTION (SEE INSTRUCTIONS)
N/A

RELATED PENDING CASES (LIST BY CASE CAPTION AND DOCKET NUMBER)	IS CASE SUBJECT TO COORDINATION ORDER?
In Re: Digitek Litigation-CMPLT  09030516600005	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>

TO THE PROTHONOTARY:
 Kindly enter my appearance on behalf of Plaintiff/Petitioner/Appellant:
 Papers may be served at the address set forth below.

NAME OF PLAINTIFF/PETITIONER/APPELLANT'S ATTORNEY Michele A. DiMartino	ADDRESS (SEE INSTRUCTIONS) 2 Bala Plaza, Suite 603 Bala Cynwyd, PA 19004
PHONE NUMBER 610-660-0622	FAX NUMBER 610-660-0628

SUPREME COURT IDENTIFICATION NO. 79081	E-MAIL ADDRESS mdimartino@doctoratlaw.com
--	---

SIGNATURE <i>Michele A. DiMartino</i>	DATE 6.26.09
--	------------------------

Court of Common Pleas of Philadelphia County
 Trial Division

Civil Cover Sheet
(Supplemental Parties)

For Prothonotary Use Only (Docket Number)

PLAINTIFF'S NAME In Re: Digital Litigation	DEFENDANT'S NAME Actavis Elizabeth, LLC
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS 200 Elmora Avenue, Elizabeth, NJ 07207
PLAINTIFF'S NAME	DEFENDANT'S NAME Actavis, U.S.
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS 60 Columbia Road, Morristown, NJ 07960
PLAINTIFF'S NAME	DEFENDANT'S NAME Mylan, Inc.
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS 1500 Corporate Drive, Canonsburg, PA 15317
PLAINTIFF'S NAME	DEFENDANT'S NAME Mylan Laboratories, Inc.
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS 1500 Corporate Drive, Canonsburg, PA 15317
PLAINTIFF'S NAME	DEFENDANT'S NAME Mylan Pharmaceuticals, Inc.
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS 781 Chestnut Ridge Road, Morgantown, WV 26505
PLAINTIFF'S NAME	DEFENDANT'S NAME Mylan Bertek Pharmaceuticals, Inc.
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS 320 Lakeside Drive, Suite A, Foster City, CA 94404
PLAINTIFF'S NAME	DEFENDANT'S NAME UDL Laboratories, Inc.
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS 1718 Northrock Court, Rockford, IL 61103
PLAINTIFF'S NAME	DEFENDANT'S NAME
PLAINTIFF'S ADDRESS	DEFENDANT'S ADDRESS

THE MILLER FIRM, LLC
By: Michael J. Miller
Attorney ID No. 95102
By: Christopher Gomez
Attorney ID No. 82899
By: Michele A. DiMartino
Attorney ID No. 79081
cgomez@doctoratlaw.com
2 Bala Plaza, Suite 603
Bala Cynwyd, PA 19004
Phone: (610) 660-0622
Fax: (610) 660-0628

LEVIN FISHBEIN, SEDRAN & BERMAN
BY: Arnold Levin, Esquire
Attorney ID No. 02280
Frederick S. Longer, Esquire
Attorney ID No. 46653
Michael M. Weinkowitz, Esquire
Attorney ID No. 76033
510 Walnut Street, Suite 500
Philadelphia, PA 19106
(215) 592-1500 / (215) 592-4663 (telecopier)
MWeinkowitz@lfsblaw.com
Attorneys for Plaintiff

COURT OF COMMON PLEAS
PHILADELPHIA COUNTY

IN RE: DIGITEK LITIGATION

March Term, 2009

No. 5166

JURY TRIAL DEMANDED

THE MILLER FIRM, LLC

By: Michael J. Miller

Attorney ID No. 95102

By: Christopher Gomez

Attorney ID No. 82899

By: Michele A. DiMartino

Attorney ID No. 79081

cgomez@doctoratlaw.com

2 Bala Plaza, Suite 603

Bala Cynwyd, PA 19004

Phone: (610) 660-0622

Fax: (610) 660-0628

LEVIN, FISHBEIN, SEDRAN & BERMAN

BY: Arnold Levin, Esquire

Attorney ID No. 02280

Frederick S. Longer, Esquire

Attorney ID No. 46653

Michael M. Weinkowitz, Esquire

Attorney ID No. 76033

510 Walnut Street, Suite 500

Philadelphia, PA 19106

(215) 592-1500 / (215) 592-4663 (telecopier)

MWeinkowitz@lfsblaw.com

Attorneys for Plaintiff

**COURT OF COMMON PLEAS
PHILADELPHIA COUNTY**

IN RE: DIGITEK LITIGATION

March Term, 2009

No. 5166

JURY TRIAL DEMANDED

NOTICE TO PLEAD

NOTICE You have been sued in court. If you wish to defend against the claims set forth in the following pages, you must take action within twenty (20) days after this complaint and notice are served, by entering a written appearance personally or by attorney and filing in writing with the court your defenses or objections to the claims set forth against you. You are warned that if you fail to do so the case may proceed without you and a judgment may be entered against you by the court without further notice for any money claimed in the complaint or for any other claim or relief requested by the plaintiff. You may lose money or property or other rights important to you. **YOU SHOULD TAKE THIS PAPER TO YOUR LAWYER AT ONCE. IF YOU DO NOT HAVE A LAWYER OR CANNOT AFFORD ONE, GO TO OR TELEPHONE THE OFFICE SET FORTH BELOW TO FIND OUT WHERE YOU CAN GET LEGAL HELP. PHILADELPHIA COUNTY BAR ASSOCIATION LAWYER REFERRAL AND INFORMATION SERVICE 1101 MARKET STREET, 11TH FLOOR PHILADELPHIA, PENNSYLVANIA 19107 TELEPHONE: (215) 238-1701**

AVISO Le han demandado a usted en la corte. Si usted quiere defenderse de estas demandas expuestas en las paginas siguientes, usted tiene veinte (20) dias de plazo al partir de la fecha de la demanda y la notificacion. Hace falta asentar una comparecencia escrita o en persona o con un abogado y entregar a la corte en forma escrita sus defensas o sus objeciones a las demandas en contra de su persona. Sea avisado que si usted no se defiende, la corte tomara medidas y puede continuar la demanda en contra suya sin previo aviso o notificacion. Ademas, la corte puede decidir a favor del demandante y requiere que usted cumpla con todas las provisiones de esta demanda. Usted puede perder dinero o sus propiedades u otros derechos importantes para usted. **LLEVE ESTA DEMANDA A UN ABOGADO INMEDIATAMENTE. SI NO TIENE ABOGADO O SI NO TIENE EL DINERO SUFICIENTE DE PAGAR TAL SERVICIO, VAYA EN PERSONA O LLAME POR TELEFONO A LA OFICINA CUYA DIRECCION SE ENCUENTRA ESCRITA ABAJO PARA AVERIGUAR DONDE SE PUEDE CONSEGUIR ASISTENCIA LEGAL. ASOCIACION DE LICENCIADOR DE PHILADELPHIA VICIO DE REFERENCIA DE INFORMACION LEGAL 1101 MARKET STREET, 11TH FLOOR PHILADELPHIA, PENNSYLVANIA 19107 TELEFONO: (215) 238-1701**

**PLAINTIFFS' GENERAL MASTER LONG-FORM COMPLAINT
AND JURY DEMAND**

Pursuant to an Order by the Honorable Sandra M. Moss, the undersigned attorneys for plaintiffs in "Digitek" actions bring the Master General Long-Form Complaint against the following defendants:

Actavis Totowa, LLC
1 New England Avenue
Piscataway, NJ 08854

Actavis Inc
60 Columbia Road, Building B
Morristown, NJ 07960

Actavis Group hf
Dalsbraun 1 220
Hafrarfjodur, Iceland

Actavis Elizabeth, LLC
200 Elmora Avenue
Elizabeth, NJ 07207

Actavis, U.S.
60 Columbia Road
Morristown, NJ 07960

Mylan, Inc
1500 Corporate Drive
Canonsburg, PA 15317

Mylan Laboratories, Inc.
1500 Corporate Drive
Canonsburg, PA 15317

Mylan Pharmaceuticals, Inc.
781 Chestnut Ridge Road
Morgantown, WV 26505

Mylan Bertek Pharmaceuticals, Inc.
320 Lakeside Drive, Suite A
Foster City, CA 94404

UDL Laboratories, Inc.
1718 Northrock Court
Rockford, IL 61103

PLAINTIFFS

1. Plaintiffs' file this Master Complaint in accordance with Case Management and Scheduling Order No. 1 and this Complaint applies to all cases (1) transferred to this Court in the Commonwealth of Pennsylvania for the In re: Digitek Products Liability Litigation; and (2) all related cases originally in this Court.

2. Plaintiffs brings this action against the Defendants for design, manufacturing, producing, supplying, inadequately inspecting, testing, selling and distributing dangerous, defective, misbranded and adulterated Digitek® (digoxin tablets, USP (hereinafter referred to as "Ditek")) containing an amount of the drug's active ingredient, digoxin, different from the dose set forth on the label and in some cases exceeding the dose approved for medical treatment in humans. By reason of the wrongful conduct of the Defendants, and the dangers posed by the potential for overdoses of the drug, a massive, national recall of Digitek® tablets has been initiated in the United States.

DEFENDANTS

THE "ACTAVIS DEFENDANTS"

3. Defendant Actavis Group hf is an international generic pharmaceutical company, with its principal place of business at Dalshraun 1 220 Hafnarfjodur, Iceland, and regularly conducts business throughout the United States and specifically in Pennsylvania, including but not limited to directing the operation and management of

the other "Actavis Defendants," including Defendant Actavis Group, ehf, which is the parent of Defendants Actavis, Inc., Actavis Totowa, LLC (formerly known as Amide Pharmaceutical, Inc.), Actavis Elizabeth, LLC, and Actavis, US, in the design, development, manufacture, production, processing, compounding, formulating, testing, sale, marketing, labeling, packaging, dosing advertising, promotion, supply, releasing and/or distribution of Digitek®.

4. Defendant Actavis Totowa, LLC (formerly known as Amide Pharmaceutical, Inc.) is a corporation organized and existing under the laws of Delaware with its principal place of business in New Jersey, and is a wholly-owned subsidiary, agent, and alter ego of Actavis Group hf.

5. Defendant Actavis, Inc. is a corporation organized and existing under the laws of Delaware with its principal place of business New Jersey, and is a wholly-owned subsidiary, agent, and alter ego of Actavis Group hf.

6. Defendant Actavis Elizabeth, LLC is a corporation organized and existing under the laws of Delaware with its principal place of business in New Jersey, and is a wholly-owned subsidiary, agent, and alter ego of Actavis Group hf.

7. Defendant Actavis, US is a corporation organized and existing under the laws of Delaware with its principal place of business in New Jersey, and is a wholly-owned subsidiary, agent, and alter ego of Actavis Group hf.

8. Defendants Actavis Group hf., Actavis Totowa (formerly known as Amide Pharmaceutical, Inc.) Actavis Inc., Actavis Elizabeth, LLC and Actavis U.S. are referred to hereinafter collectively as "Actavis" or "Actavis" Defendants" unless otherwise stated.

9. At material times hereto, the Actavis Defendants:

a. were, and are, engaged in the business of the design, development, manufacture, production, processing, compounding, formulating, testing, sale, marketing, labeling, packaging, dosing advertising, promotion, supply, releasing and/or distribution of Digitek® in the United States either directly or indirectly through third-parties or related entities;

b. were, and are, in the business of profiting from the in the design, development, manufacture, production, processing, compounding, formulating, testing, sale, marketing, labeling, packaging, dosing advertising, promotion, supply, releasing and/or distribution of Digitek®;

c. conducted continuous and substantial business in the Commonwealth of Pennsylvania and,

d. acted and gained knowledge itself and by and through its various agents, servants, employees, and/or ostensible agents.

THE "MYLAN DEFENDANTS"

10. Defendant Mylan, Inc. is a corporation organized and existing under the laws of Pennsylvania with its principal place of business in New Jersey.

11. Defendant Mylan Laboratories, Inc. ("Mylan Laboratories") is a corporation organized and existing under the laws of Pennsylvania with its principal place of business in Pennsylvania and New Jersey.

12. Defendant Mylan Pharmaceuticals, Inc. ("Mylan Pharmaceuticals") is a corporation organized and existing under the laws of West Virginia with its principal place of in New Jersey and is a wholly-owned subsidiary, agent, and alter ego of

Defendant Mylan, Inc.

13. Defendant Mylan Bertek Pharmaceuticals, Inc. ("Mylan Bertek") is a corporation organized and existing under the laws of Texas with its principal place of business in Texas and is a wholly-owned subsidiary, agent, and alter ego of Defendant Mylan, Inc.

14. Defendant UDL Laboratories, Inc. ("UDL") is a corporation organized and existing under the laws of Illinois with its principal place of business in Illinois and is a wholly-owned subsidiary, agent, and alter ego of Defendant Mylan, Inc.

15. Defendants Mylan Inc., Mylan Laboratories, Mylan Pharmaceuticals, Mylan Bertek and UDL are referred to hereinafter collectively as "Mylan" or the "Mylan Defendants," unless otherwise stated.

16. At material times hereto, the Mylan Defendants:

a. were, and are, engaged in the business of the design, development, manufacture, production, processing, compounding, formulating, testing, sale, marketing, labeling, packaging, dosing advertising, promotion, supply, releasing and, or distribution of Digitek® in the United States and Pennsylvania either directly or indirectly through third-parties or related entities;

b. were, and are, in the business of profiting from the design, development, manufacture, production, processing, compounding, formulating, testing, sale marketing, labeling, packaging, dosing advertising, promotion, supply, releasing and /or distribution of Digitek®;

c. conducted continuous and substantial business in the Commonwealth of Pennsylvania and,

d. acted and gained knowledge itself and by and through its various agents, servants, employees, and/or ostensible agents.

JURISDICTION AND VENUE

17. Jurisdiction over Defendants is based on 42 Pa. C.S.A § 5301 and is therefore proper in this Court.

18. Venue is proper pursuant to Pa. R.C.P. No. 2179. Defendants regularly conduct substantial business in Philadelphia County, Pennsylvania.

19. The amount in controversy exceeds, exclusive of interest and costs, the sum of fifty thousand (\$50,000.00) dollars.

FACTUAL ALLEGATIONS

The Drug - Digitek® (digoxin tablets, USP)

20. Digitek® is the brand-name of one of the cardiac glycosides, a closely related group of drugs having in common specific effects on the myocardium of the heart.

21. Digitek® is a registered trademark of Defendant Bertek Pharmaceuticals.

22. Digitek® is widely prescribed and used by millions of Americans to treat various heart conditions, including atrial fibrillation, atrial flutter and congestive heart failure.

23. Digitek® and digoxin are metabolized in the liver but excreted by the kidney.

24. Digitek® is approved only for sale and distribution in the United States in the following dosages:

Digitek® (digoxin tablets, USP) 0.125 mg, and,

Digitek® (digoxin tablets, USP) 0.250 mg

(collectively referred to hereinafter as the "approved dose").

25. Each Digitek® tablet is approved by the United States Food and Drug Administration ("FDA") only for sale and distribution if it contains the labeled amount of digoxin.

26. Digitek® tablets manufactured and produced with an amount of digoxin in less than or in excess of the labeled dose are not approved for sale or distribution in the United States (hereinafter "unapproved dose").

THE FDA WARNING LETTERS

The August 15, 2006 FDA Warning Letter

27. Upon information and belief, some of the Recalled Digitek® was designed, developed, manufactured, produced, processed, compounded, formulated, tested, sold, marketed, labeled, packaged, dosed, advertised, promoted, supplied, released and/or distributed from a plant in Little Falls, New Jersey owned by one or more of the Actavis Defendants, which was acquired in December 2005 as part of Actavis acquisition of another company's generic business.

28. On or about August 15, 2006, the FDA issued a letter warning to the Actavis Defendants through defendant Actavis Totowa for failing to file periodic safety reports at its solid oral dose manufacturing facility in Little Falls, New Jersey (hereinafter referred to as the "August, 2006 Warning Letter").

29. The *August, 2006 Warning Letter* is available on the FDA's website at http://www.fda.gov/foi/warning_letters/archive/g6235d.htm.

30. In the *August, 2006 Warning Letter*, the FDA warned the Actavis

Defendants through Actavis Totowa that it had violated its adverse medical event reporting obligations, marketing drugs without proper clearance and causing at least 26 adverse drug experiences (ADEs) by not submitting periodic safety reports.

31. According to the FDA's *August 2006 Warning letter*, an FDA inspection between January and February 2006 revealed that there were six potentially serious and unexpected adverse drug events dating back to 1999 for products, including digoxin, that were not reported to the agency.

32. The FDA's *August 2006 Warning letter* also warned the Actavis Defendants through Actavis Totowa about not properly investigating serious and unexpected ADEs, not adequately reviewing ADE information, failing to file periodic safety reports which resulted in at least 26 ADEs which were never reported.

33. The FDA's *August 2006 Warning letter* also warned the Actavis Defendants through Actavis Totowa that it had not developed procedures for the surveillance, receipt, evaluation, and report of adverse events.

The Revised Warning Letter About the Actavis Defendants' "Significant Deviations from the Current Good Manufacturing Practice Regulations"

34. In or around February 1, 2007, the FDA issued a revised Warning Letter to the Actavis Defendants through Actavis Totowa (hereinafter "*Revised Warning Letter*") citing "significant deviations from the current Good Manufacturing Practice regulations."

35. The *Revised Warning letter* is available on the FDA's website at http://www.fda.gov/foi/warning_letters/archive/g6235d.htm.

36. In the *Revised Warning letter* the FDA noted several deviations from good

manufacturing process, resulting in the adulteration of drug products manufactured by the Actavis Defendants, that were observed by the FDA during an inspection conducted July 10, 2006 to August 10, 2006.

37. According the FDA's *Revised Warning Letter*:

Significant deficiencies were found in the operations of your firm's quality control unit, and as a result there is no assurance that many drug products manufactured and released into interstate commerce by your firm have the identity, strength, quality and purity that they purport to possess.

38. The deviation from good manufacturing process observed by the FDA were presented to Actavis Totowa on an FDA-483 (List of Inspections) at the close of the inspection on August 10, 2006.

39. The FDA's *Revised Warning letter* cited deficiencies in the operations of the Actavis Defendants' quality control unit, which included instances where the unit failed to adequately investigate and resolve laboratory deviations and out-of-specification test results for drug products. Specifically, according to the *Revised Warning letter*:

Our investigators observed numerous instances where the quality control unit failed to adequately investigate and resolve laboratory deviations and out-of-specification test results involving drug products that ultimately were released for distribution into interstate commerce. Additionally, our investigators uncovered out-of-specification test results in laboratory raw data that were not documented in laboratory notebooks, and found that products were released based on retesting without any justification for discarding the initial out-of-specification test results.

40. The FDA *Revised Warning letter* stated that the FDA found during its inspection that analysts did not always document the preparation and testing of

samples at the time they were done:

Master and batch production and control records were found to be deficient in that they did not include complete procedures for documenting the collection of samples. Although your firm's procedures require the collection of in-process blend uniformity samples of three times the weight of finished product tablets or capsules, master production records do not require, and batch records do not contain, documentation that the samples are being collected accordingly. [21 CFR 211.186(b)(9) and 21 CFR 211.188(b)(10)]

41. The FDA also cited a failure to check for accuracy the input and outputs from a system used to run the high-performance liquid chromatography during analysis of drug products.

42. Among other deficiencies cited by the FDA in the *Revised Warning letter* were:

- e. failure of the quality control unit to recognize that some tablets did not meet in-process specifications;
- f. a lack of adequate procedures for conducting bulk product holding time studies; failure to identify and control rejected in-process materials;
- g. not adequately qualifying select equipment; and,
- h. failure to establish and follow written procedures for maintaining manufacturing equipment.

43. By way of example, the FDA states in the *Revised Warning Letter* that:

Your firm's cleaning validation studies were found to be inadequate and, as a result, there was no assurance that equipment is adequately cleaned between the manufacture of different drug products. [21 CFR 211.67(b)] For example:

- a. Cleaning validation was performed for the

process trains without evaluating for sample recovery for numerous products, including: Amidal Nasal Decongestant; Amigesic Caplets, 750mg; Carisoprodol and Aspirin Tablets, USP, 200mg/325mg; Carisoprodol Tablets, USP, 350mg; Chlorzoxazone Tablets, USP, 250mg and 500mg; Digoxin Tablets, USP, 0.25mg.

44. The FDA gave the Actavis Defendants, through Actavis Totowa, 15 working days to provide a written listing of all released lots of finished drug products that remain within specification that are associated with any out-of specification test results during manufacture and to provide description of the actions taken to ensure that lots were suitable for release.

The Manufacture, Production, Labeling, Distribution and Sale of Dangerous Digitek® Tablets Containing an Amount of Digoxin, different from the Labeled Dose

45. The Defendants are drug companies, that upon information and belief, engaged in the design, development, manufacture, production, processing, compounding, formulating, testing, sale, marketing, labeling, packaging, dosing, advertising, promotion, supply, releasing and/or distribution of Digitek® tablets containing an amount of digoxin, different than the dose on the label.

46. At all times relevant to this action, Defendants knew, and/or had reason to know, that the Recalled Digitek® was not safe for the patients for whom the drug was prescribed because it either contained an less than or an excess dose of digoxin which can cause serious medical problems, digoxin overdose, digitalis toxicity and, in certain patients, catastrophic injuries and death.

The Class I-Recall in the United States And Defendants' Failure to Provide Full, Complete and Adequate Information About the Recalled Digitek®

47. On or about April 25, 2008, the United States Food and Drug

Administration ("FDA") announced a Class I Recall of all lots of Bertek and UDL Laboratories Digitek® (hereinafter "Recalled Digitek®"). The FDA announcement, available at <http://www.fda.gov/medwatch/safety/2008/safety08.htm#Digitek>, stated:

DIGITEK (DIGOXIN TABLETS, USP)

Audience: Cardiologists, family physicians, pharmacists, other healthcare professionals, patients

[Posted 04/28/2008] Actavis Totowa LLC notified healthcare professionals of a Class I nationwide recall of all strengths of Digitek, a drug used to treat heart failure and abnormal heart rhythms. The products are distributed by Mylan Pharmaceuticals Inc., under a "Bertek" label and by UDL Laboratories, Inc. under a "UDL" label. The product is being recalled due to the possibility that tablets with double the appropriate thickness may contain twice the approved level of active ingredient. The existence of double strength tablets poses a risk of digitalis toxicity in patients with renal failure. Digitalis toxicity can cause nausea, vomiting, dizziness, low blood pressure, cardiac instability and bradycardia. Several reports of illnesses and injuries have been reported. Patients should contact their healthcare professional with questions.

[April 25, 2008 - Press Release - Actavis Totowa LLC]

48. Class I Recalls are instituted only when there exists a reasonable probability that use of the product will cause serious injury or death.
49. The recall implicated Digitek tablets manufactured in a plant in Little Falls, New Jersey as early as 2006. Notably, on August 1, 2008, the Actavis Defendants announced a retail-level recall of all drugs manufactured at its Little Falls, New Jersey Plant. The expanded recall was prompted by yet another inspection at the facility which revealed that operations still did not meet the FDA's standards for good manufacturing practices. The recall implicated 65 different generic drugs all manufactured at the same facility that produced Digitek tablets.
50. After the August, 2008 recall, Defendant Actavis finally closed the New

Jersey plants to institute "remediation" efforts. However, it sought to reopen the facilities, prompting the United States Justice Department to file a lawsuit in November, 2008 to force closure. Under a Consent Decree reached in December, 2008, the Actavis Defendants agreed to not distribute any products from the closed facilities until it has certified completion of certain enumerated requirements that demonstrate compliance with FDA's current good manufacturing practice and has passed follow-up FDA inspections of the facilities.

51. The Recalled Digitek® is an adulterated drug and its label and packaging are misbranded.

**Injuries from Digoxin Overdose, Digitalis Toxicity or from
An Amount of Digoxin Less than the Labeled Dose**

52. Digoxin overdose and digitalis toxicity can cause serious and life-threatening personal injury, and death.

53. The Digitek® label states, in relevant parts, under "Precautions" that:

Use in Patients with Impaired Renal Function: Digoxin is primarily excreted by the kidneys; therefore, patients with impaired renal function require smaller than usual maintenance doses of digoxin. Because of the prolonged elimination half-life, a longer period of time is required to achieve an initial or new steady-state serum concentration in patients with renal impairment than in patients with normal renal function. If appropriate care is not taken to reduce the dose of digoxin, such patients are at high risk for toxicity, and toxic effects will last longer in such patients than in patients with normal renal function.

* * *

Adults: *Cardiac*: Therapeutic doses of digoxin may cause heart block in patients with pre-existing sinoatrial or AV conduction disorders; heart block can be avoided by adjusting the dose of digoxin. Prophylactic use of a cardiac pacemaker may be considered if the risk of heart block is considered acceptable. High doses of digoxin may produce a variety of rhythm disturbances, such as first-degree, second-degree (Wenkebach), or third-degree heart block (including asystole); atrial tachycardia with block; AV dissociation; accelerated junctional (nodal) rhythm; unifocal or multifocal ventricular premature contractions (especially bigeminy or trigeminy); ventricular tachycardia; and ventricular fibrillation. Digoxin produces PR

prolongation and ST segment depression which should not by themselves be considered digoxin toxicity. Cardiac toxicity can also occur at therapeutic doses in patients who have conditions which may alter their sensitivity to digoxin.

Gastrointestinal: Digoxin may cause anorexia, nausea, vomiting and diarrhea.

Rarely the use of digoxin has been associated with abdominal pain, intestinal ischemia and hemorrhagic necrosis of the intestines.

CNS: Digoxin can produce visual disturbances (blurred or yellow vision), headache, weakness, dizziness, apathy, confusion and mental disturbances (such as anxiety, depression, delirium and hallucination).

54. Non-approved, excessive doses of digoxin significantly increase the likelihood that overdosed patients will experience the known side-effects and reactions that can result from the approved doses of digoxin. In other words, the risk and dangers of approved doses are enhanced by an overdose of digoxin.

55. Doses of digoxin less than and exceeding the dose prescribed by a physician for medical treatment can cause personal injury and death.

56. The Digitek® label states in relevant part that:

Massive Digitalis Overdosage: Manifestations of life-threatening toxicity include ventricular tachycardia or ventricular fibrillation, or progressive bradyarrhythmias, or heart block. The administration of more than 10 mg of digoxin in a previously healthy adult or more than 4 mg in a previously healthy child, or a steady-state serum concentration great than 10ng/mL often results in cardiac arrest.

DIGIBIND [Digoxin Immune Fab (Ovine)] should be used to reverse the toxic effects of ingestion of a massive overdose. The decision to administer DIGIBIND [Digoxin Immune Fab (Ovine)] to a patient who has ingested a massive dose of digoxin but who has not yet manifested life-threatening toxicity should depend on the likelihood that life-threatening toxicity will occur. Patients with massive digitalis ingestion should receive large doses of activated charcoal to prevent absorption and bind digoxin in the gut during enteroenteric recirculation. Emesis or gastric lavage may be indicated especially if ingestion has occurred within 30 minutes of the patient's presentation at the hospital. Emesis should not be induced in patients who are obtunded. If a patient presents more than 2 hours after ingestion or already has toxic manifestations, it may be unsafe to induce vomiting or attempt passage of a gastric

tube, because such maneuvers may induce an acute vagal episode that can worsen digitalis-related arrhythmias.

Severe digitalis intoxication can cause a massive shift of potassium from inside to outside the cell, leading to life-threatening hyperkalemia. The administration of potassium supplements in the setting of massive intoxication may be hazardous and should be avoided. Hyperkalemia caused by massive digitalis toxicity is best treated with DIGIBIND [Digoxin Immune Fab (Ovine)]; initial treatment with glucose and insulin may also be required if hyperkalemia itself is acutely life-threatening.

57. The Digitek® label states, in relevant part, under "Adverse Events" that:

In general, the adverse reactions of digoxin are dose dependent and occur at doses higher than those need to achieve a therapeutic effect. Hence, adverse reactions are less common when digoxin is used within the recommended dose range or the therapeutic serum concentration range and when there is careful attention to concurrent medications and conditions.

Because some patients may be particularly susceptible to side effects with digoxin, the dosage of the drug should always be selected carefully and adjusted as the clinical conditions of the patient warrant. In the past, when high doses of digoxin were used and little attention was paid to the clinical status or concurrent medications, adverse reactions were more frequent and severe. Cardiac reactions accounted for about one-half, gastrointestinal disturbances about one-fourth and CNS and other toxicity for about one-fourth of these adverse reactions.

58. The Recalled Digitek® was adulterated, misbranded, defective, unreasonably dangerous and unfit for its intended uses. It contained amounts of Digoxin less than or more than the labeled dose. Defendants placed tens of thousands of patients, including Plaintiffs, unnecessarily at risk of serious injury and/or death and may have caused them to suffer personal injuries and harm, including medical expenses, anxiety and fear induced from ingesting the defective and misbranded drug.

59. Defendants knew or should have known about the manufacturing and production defects, misbranding and negligent sale and distribution of the Recalled

Digitek® and had a duty to design, develop, manufacture, produce, process, compound, formulate, test, sell, market, label, package, dose, advertise, promote, supply, release and/or distribute only safe Digitek® with approved doses of digoxin and doses of digoxin that were consistent with the dose on the label.

60. Defendants knew or should have known that they designed, developed, manufactured, produced, processed, compounded, formulated, tested, sold, marketed, labeled, packaged, dosed, advertised, promoted, supplied, released and/or distributed Digitek® with too much or too little of the unapproved amounts of digoxin before:

- a. any of the Recalled Digitek® was released for distribution and sale;
and,
- b. they mislabeled the Recalled Digitek®.

61. Defendants failed to implement or utilize adequate safeguards, tests, inspections and quality assurance procedures to ensure the accuracy of the strength of Digitek®.

62. Defendants failed to implement or utilize adequate testing, including batch testing, batch dose verification, and other procedures, safeguards, and inspections to confirm, monitor and assess the quality, dose and safety of Digitek®.

63. Plaintiffs were prescribed Digitek® but unwittingly ingested the defective drug.

64. As a direct and proximate result of the liability-producing conduct of Defendants, and the defective and unreasonably dangerous condition of the Recalled Digitek®, the Plaintiffs have suffered physical injury, death and damages.

65. As a direct and proximate result of the liability-producing conduct of

Defendants, and the defective and unreasonably dangerous condition of the Recalled Digitek® the Plaintiffs seek reimbursement of the amounts of money spent for the purchase of the defective, misbranded and adulterated Recalled Digitek®.

66. As a direct and proximate result of the acts and omissions of Defendants, the Plaintiffs suffered serious physical injury, pain and suffering, loss of income, loss of opportunity, loss of family and social relationships, and medical, hospital, surgical and funeral expenses and other expenses related to diagnosis and treatment thereof, for which Defendants are liable

67. As a direct and proximate result of the acts and omissions of Defendants, the Plaintiffs have been prevented from pursuing their normal activities and employment, have experienced severe pain and suffering and mental anguish, and may have been deprived of their ordinary pursuits and enjoyments of life.

CLAIMS FOR RELIEF

COUNT 1 PRODUCT LIABILITY NEGLIGENCE

68. Plaintiffs incorporate by reference each preceding and succeeding paragraphs as though set forth fully at length herein.

69. Defendants, directly or indirectly marketed, designed, developed, manufactured, tested, produced, labeled, inspected, packaged, dosed, distributed, promoted, advertised, released, or sold the recalled Digitek® in the stream of commerce in the Commonwealth of Pennsylvania when they knew or in the exercise of ordinary care, should have known that the drug posed a significant risk to the health, well-being and safety of the public and of Plaintiff, which risk was not known to the public,

Plaintiff, or their prescribers.

70. At all time material hereto, Defendants had a duty to the Plaintiff to market, design, develop, manufacture, produce, inspect, test, label, package, promote, supply, advertise, distribute and sell Digitek® in a non-defective condition.

71. Defendants negligently, recklessly, grossly negligently, wantonly and willfully breached their duty because, displaying a morally culpable and conscious disregard for the rights of others in that they:

- a. failed to market, design, develop, manufacture, produce, test, inspect, label, package, dose, promote, advertise, distribute, release, or sell Digitek® such that it was safe for its intended and foreseeable uses, was not defective and was not unreasonably dangerous;
- b. failed to perform proper and sufficient tests to determine the drug's strength/dose;
- c. failed to warn at all, or failed to adequately warn foreseeable users such as Plaintiff of the dangers of ingesting recalled Digitek®, and failed to warn of the dose of recalled Digitek®;
- d. failed to make reasonable inspections, and/or evaluations necessary to discover such defects and unreasonably dangerous conditions associated with the recalled Digitek®;
- e. failed to comply with and/or use reasonable care to comply with standards

of good manufacturing, production, inspection and testing practices, care including accepted industry standards, FDA recommendations, government regulations and statutes, in the marketing, design, development, manufacture, testing, inspecting, dosing, labeling and otherwise production, distribution and release of recalled Digitek®;

- f. failed to timely remove and/or recall from the market, and/or otherwise

prevent the continued contact of Plaintiff with such defects and unreasonably dangerous conditions of recalled Digitek®;

- g. failed to investigate and/or use known and/or knowable reasonable

alternative, manufacturing, production, testing and inspection processes for the recalled Digitek®;

- h. failed to warn Plaintiff of dangers known and/or reasonably suspected to

Defendant to be associated with the recalled Digitek®;

- i. failed to make the recalled Digitek® reasonably safe;

- j. represented that the recalled Digitek® was reasonably safe for use for its

intended purpose, when, in fact, it was not;

- k. manufactured the product such that it did not meet their own specifications

and standards, as well as those of the FDA when it approved the drug;

1. failed to timely conduct a recall of the recalled Digitek®, and when the

recall was implemented, failed to implement the recall promptly and efficiently

and failed to inform the medical community, and the public, including the

Plaintiff of all the relevant information such that the significantly increased risk

of harm was minimized to the fullest extent possible.

72. Defendants knew or should have known that recalled Digitek® caused unreasonably dangerous risks and side-effects, including death, of which Plaintiff, and Plaintiff's prescribing physicians would not be aware. Defendants nevertheless marketed, advertised, supplied, released, sold and distributed the drug knowing that there were reasonably safer alternative products.

73. The defective design existed before the product left the control of Defendants.

74. The product did not undergo any substantial alteration before reaching Plaintiff.

75. Plaintiff and prescribing physicians were foreseeable users, who were not expected to know of the dangers of recalled Digitek® and who did not know of those dangers.

76. Reasonable consumers would not expect recalled Digitek® to be unreasonably dangerous.

77. Recalled Digitek's® risks of harm outweigh any potential utility.

78. Reasonably safer alternative products existed and were feasible to use,

and they would have prevented or significantly reduced the risk of injury without substantially impairing the product's utility.

79. Recalled Digitek® significantly increases the risk of the known side-effects and reactions that can result from the approved doses of digoxin set forth above.

80. Recalled Digitek® was not approved by the FDA in the form ingested.

81. The above described egregious misconduct constitutes the wanton and willful disregard for health and safety for which punitive damages as well as common law mandate exemplary damages to punish these Defendants and to deter these Defendants from such conduct in the future.

82. As a direct and proximate result of Defendants' negligence and breach of Defendants. Plaintiff had and will continue to have, great physical pain and suffering, and great mental and emotional suffering, some or all of which may be permanent. As a direct and proximate result of the aforesaid, Plaintiff was, and will in the future be, obligated to spend various sums of money to treat, evaluate and care for Plaintiff's injuries, Plaintiff has sustained and will in the future sustain a loss of earnings and earning capacity; Plaintiff's enjoyment of life is impaired; Plaintiff is embarrassed and humiliated; all to Plaintiff's great loss.

WHEREFORE, Plaintiff demands judgment against Defendants for an amount in excess of \$50,000.00, compensatory damages and punitive damages as a jury may determine to be appropriate and necessary plus interest and costs.

COUNT 2
FAILURE TO ADEQUATELY WARN

83. Plaintiffs incorporate by reference each preceding and succeeding

paragraphs as though set forth fully at length herein.

84. At all relevant times, Defendants researched, developed, designed, tested, manufactured, inspected, labeled, and/or distributed, marketed, promoted, sold, and otherwise released into the stream of commerce the pharmaceutical, the Recalled Digitek®, and in the course of same, directly advertised or marketed the product to FDA consumers or persons responsible for consumers, and therefore had a duty to warn of the risks associated with the use of the Recalled Digitek®.

85. At all relevant times, the Recalled Digitek® was under the exclusive control of the Defendants as aforesaid, and was unaccompanied by appropriate warnings regarding all possible adverse side effects and complications associated with the use of the Recalled Digitek®, the dangers of inappropriately strong or weak doses and the comparative severity, duration and the extent of the risk of injury with such use.

86. At all relevant times, Defendants failed to timely and reasonably warn of material facts regarding the safety and efficacy of the Recalled Digitek® so that no reasonable medical care provider would have prescribed, or no consumer would have used, Digitek® had those facts been made known to such providers and consumers.

87. At all relevant times, Defendants failed to perform or otherwise facilitate adequate testing in that such testing would have shown that the Recalled Digitek® posed serious and potentially life-threatening side effects and complications in tablets with more than, or less than, the labeled dose of digoxin respect to which full and proper warning accurately and fully reflecting the symptoms, scope and severity should have been made to medical care providers, the FDA and the public, including

Plaintiff.

88. At all relevant times, the Recalled Digitek®, which was researched, developed, designed, tested, manufactured, inspected, labeled, distributed, marketed, promoted, sold, and otherwise released into the stream of commerce by Defendants, was defective due to inadequate post-marketing warning and/or instruction because, after Defendants knew or should have known of the risk of serious and potentially life-threatening side effects and complications from the use of the Recalled Digitek®, Defendants failed to provide adequate warnings to medical care providers, the FDA and the consuming public, including Plaintiff, and continued to promote Digitek® aggressively.

89. As a direct and proximate result of Defendants' carelessness and negligence, the Plaintiff suffered severe and permanent physical injuries. Thereby, the Plaintiff has endured substantial emotional pain and suffering. The Plaintiff incurred significant expenses for medical care and treatment, and may continue to incur expenses in the future. Plaintiff suffered lost wages and earnings, and was otherwise physically and economically injured.

WHEREFORE, Plaintiff demands judgment against Defendants for an amount in excess of \$50,000.00, compensatory damages and punitive damages as a jury may determine to be appropriate and necessary plus interest and costs.

COUNT 3
PRODUCT LIABILITY - MANUFACTURING DEFECT

90. Plaintiff incorporates by reference each preceding and succeeding paragraph as though set forth fully at length herein:

91. At all times material to this action, Defendants were engaged in the business of designing, developing, manufacturing, producing, testing, packaging, inspecting, promoting, marketing, distributing, supplying, labeling, releasing and/or selling the Recalled Digitek®.

92. At all times material to this action, the Recalled Digitek® was expected to reach, and did reach, consumers in the State of Pennsylvania and throughout the United States, without substantial change in the condition in which it was sold.

93. At all times material to this action, the Recalled Digitek® was designed, developed, manufactured, produced, tested, packaged, inspected, promoted, marketed, supplied, distributed, labeled, released and/or sold by Defendants in a defective and unreasonably dangerous condition at the time it was placed in the stream of commerce in ways which include, but are not limited to, one or more of the following particulars:

a. When placed in the stream of commerce, the Recalled Digitek® contained manufacturing defects which rendered the product unreasonably dangerous;

b. The manufacturing defects of the Recalled Digitek® occurred while the product was in the possession and control of Defendants;

c. The Recalled Digitek® was not made in accordance with Defendants' specifications or performance standards and/or those specifications and standards approved by the FDA.

d. The manufacturing defects of the Recalled Digitek® existed before it left the control of Defendants;

94. As a direct and proximate result of the acts and omissions of Defendants as aforesaid, Plaintiff was harmed as aforesaid.

WHEREFORE, Plaintiff demands judgment against Defendants for an amount in excess of \$50,000.00, compensatory damages and punitive damages as a jury may determine to be appropriate and necessary plus interest and costs.

COUNT 4
BREACH OF EXPRESS WARRANTY

95. Plaintiffs incorporate by reference each preceding and succeeding paragraphs as though set forth fully at length herein.

96. At all relevant times, Defendants warranted that the Recalled Digitek® was safe and not defective and/or unreasonably dangerous as stated above and warranted that it contained a dose of digoxin that consistent with the dose set forth on its label and was otherwise safe for human ingestion.

97. At all relevant times, Defendant placed the Recalled Digitek® into the stream of commerce for sale and recommended its use to physicians, the FDA and consumers without adequately warning physicians, the FDA and consumers, including the Plaintiffs, of the risks associated with the use of the Recalled Digitek® and that it contained an amount of digoxin different than the labeled dose and sometimes exceeding the approved dose for human ingestion.

98. At all relevant times, Defendants had a duty to exercise reasonable care in the design, development, testing, manufacture, production, formulation, processing,

compounding, labeling, packaging, inspections, supply, distribution, marketing, promotion, sale and release of the Recalled Digitek®, including a duty to:

- a. Ensure that the product did not cause the user unreasonably dangerous side-effects;
- b. Ensure that the product was labeled accurately;
- c. Ensure that the amount, strength and dose of the digoxin in the product was consistent with the that set forth on the label and to ensure that the does was approved by the FDA as a dose safe for use in humans;
- d. Warn of dangerous and potentially fatal side-effects; and,
- e. Disclose adverse material facts when making representations to physicians, the FDA and the public at large, including Plaintiffs.

99. When the Physicians of the Plaintiffs prescribed the Recalled Digitek® and the Plaintiffs decided to use the Recalled Digitek®, both Plaintiffs, and their physicians reasonably relied upon the Defendants and their agents to disclose known defects, risks, dangers and side-effects of the Recalled Digitek® and whether the Recalled Digitek® contained an dose of digoxin, consistent with its label, and not less than, or in excess of, the dose approved for ingestion by humans.

100. Plaintiffs' physician(s), the FDA and/or Plaintiffs had no knowledge of the falsity or incompleteness of the Defendants' statements and representations concerning the Recalled Digitek® when Plaintiffs' physician(s) prescribed and/or otherwise provided Recalled Digitek® and Plaintiffs purchased and used the Recalled Digitek® as designed, developed, tested, manufactured, produced, dosed, inspected, labeled, packaged, distributed, supplied, marketed, promoted, sold and otherwise

released into the stream of commerce by the Defendants. Plaintiffs justifiably and detrimentally relied on the warranties and representations of Defendants in the purchase and use of the Recalled Digitek®.

101. At all relevant times, Defendants were under a duty to disclose the defective and unsafe nature of the Recalled Digitek® to physicians, the FDA, consumers and users, such as the Plaintiffs. Defendants had sole access to material facts concerning the defects, and Defendants knew that physicians, the FDA and users, such as Plaintiffs, could not have reasonably discovered such defects.

102. By the conduct alleged, Defendants, its agents and employees expressly warranted to Plaintiffs and their physicians(s) that the Recalled Digitek® was packaged and labeled accurately that it contained the approved dose of digoxin, that the drug was safe, merchantable and fit for the purpose intended.

103. This warranty was breached because the Recalled Digitek® was mislabeled, adulterated and did not contain the amount of digoxin as stated in the label and sometimes the approved dose for ingestion by humans, nor was it safe and effective as Defendants represented, and Plaintiffs were harmed as aforesaid.

104. As a direct and proximate result of Defendants' defective and unreasonably dangerous Recalled Digitek® and their breach of express warranty, Plaintiffs were harmed as aforesaid.

105. Defendants expressly warranted in their package inserts the amount of active ingredient in each tablet. Plaintiff relied on that express warranty when, in fact, the tablets were adulterated and did not comply with the package insert. Defendants' breach of the express warranty caused serious personal injury to plaintiff.

WHEREFORE, Plaintiff demands judgment against Defendants for an amount in excess of \$50,000.00, compensatory damages as a jury may determine to be appropriate and necessary plus interest and costs.

COUNT 5
BREACH OF IMPLIED WARRANTY

106. Plaintiffs incorporate by reference each preceding and succeeding paragraphs as though set forth fully at length herein.

107. The Defendants designed, developed, manufactured, marketed, produced, tested, inspected, distributed, supplied, released and sold the Recalled Digitek® for the treatment of certain cardiac heart problems.

108. At the time that the Defendants designed, developed, manufactured, marketed, produced, tested, inspected, distributed, supplied, released and sold the Recalled Digitek®, they knew of the use for which the subject product was intended and impliedly warranted it to be of merchantable quality and safe and fit for such use.

109. The Plaintiffs, individually and through their prescribing physician, reasonably relied upon the skill, superior knowledge and judgment of the Defendants.

110. The Plaintiffs were prescribed, purchased, and used the Recalled Digitek® for its intended purpose.

111. Due to the Defendants' wrongful conduct as alleged herein, the Plaintiffs could not have known about the mislabeling, misbranding, dose of digoxin different than the labeled dose, the nature of the risks and side-effects associated with the Recalled Digitek® until after they used it.

112. Contrary to the implied warranty for the subject product, the Recalled

Digitek® was not of merchantable quality, and was not safe or fit for its intended uses and purposes, as alleged herein.

113. As a direct and proximate result of the acts and omissions of Defendants and the defective and unreasonably dangerous Recalled Digitek® and their breach of implied warranty, Plaintiffs were harmed as aforesaid, and Plaintiffs have suffered injuries and damages as aforesaid.

WHEREFORE, Plaintiff demands judgment against Defendants for an amount in excess of \$50,000.00, compensatory damages as a jury may determine to be appropriate and necessary plus interest and costs.

COUNT 6
MISREPRESENTATION AND SUPPRESSION BY DEFENDANTS

114. Plaintiffs incorporate by reference each preceding and succeeding paragraphs as though set forth fully at length herein.

115. Defendants misrepresented to Plaintiffs and the medical community the safety and effectiveness of the Recalled Digitek® and/or fraudulently, intentionally and/or negligently concealed material information, including adverse information regarding the safety and effectiveness of the Recalled Digitek® and the dose of digoxin contained therein.

116. Defendants made misrepresentations and actively concealed adverse information at a time when the Defendants knew, or should have known, that the Recalled Digitek® had defects, dangers, and characteristics that were other than that what the Defendants had represented to Plaintiffs, the public, the FDA and the medical community generally. Specifically, Defendants misrepresented to and/or actively

concealed from Plaintiffs, the FDA and, the medical community and consuming public that:

- i. Some doses of digoxin in the Recalled Digitek® was not a dose that was approved by the FDA;
- ii. The dose of the digoxin in the Recalled Digitek® was not what the label represented the dose to be;
- iii. Some of doses of digoxin in the Recalled Digitek® were less than or exceeded the labeled dose;
- iv. The dose of digoxin in the Recalled Digitek® was unsafe, hazardous and dangerous; and,
- v. Ingesting the Recalled Digitek® would result in an overdose or underdose.

117. The misrepresentations of and/or active concealment alleged were perpetuated directly and/or indirectly by Defendants.

118. Defendants knew or should have known that these representations were false and made the representations with the intent or purpose that Plaintiffs would rely on them, leading to the use of the Recalled Digitek®.

119. At the time of Defendants' fraudulent misrepresentations, Plaintiffs were unaware of the falsity of the statements being made and believed them to be true. Plaintiffs had no knowledge of the information concealed and/or suppressed by Defendants.

120. Plaintiffs justifiably relied on and/or were induced by the misrepresentations and/or active concealment and relied on the absence of safety information which the Defendants did suppress, conceal or failed to disclose to the detriment of the Plaintiffs.

121. Defendants had a duty to warn Plaintiffs, the public, the FDA and the medical community, about the misbranding, adulteration and potential risks and complications associated with the Recalled Digitek® in a timely manner but failed to do so.

122. The misrepresentations and active fraudulent concealment by the Defendants constitutes a continuing tort against the Plaintiffs who ingested the Recalled Digitek®.

123. Defendants made the misrepresentations and actively concealed information about the defects and dangers of the Recalled Digitek® with the intention and specific desire that the healthcare professionals treating the Plaintiffs, the Plaintiffs, and the consuming public would rely on such or the absence of information in selecting and using the Recalled Digitek® as a medical treatment.

124. As a direct and proximate result of the fraudulent acts and omissions, suppression and misrepresentation of Defendants, Plaintiffs have suffered injuries and damages as aforesaid.

WHEREFORE, Plaintiff demands judgment against Defendants for an amount in excess of \$50,000.00, compensatory damages and punitive damages as a jury may determine to be appropriate and necessary plus interest and costs.

COUNT 7
NEGLIGENT MISREPRESENTATION

125. Plaintiffs incorporate by reference each preceding and succeeding paragraphs as though set forth fully at length herein.

126. Defendants, in addition to knowing misrepresentations, made

misrepresentations without any reasonable grounds for believing their statements to be true to Plaintiffs, other patients, and the medical community.

127. Defendants, through its misrepresentations, intended to induce justifiable reliance by Plaintiffs, other patients, and the medical community.

128. Defendants, through its labeling, marketing campaign and communications with treating physicians, was in a relationship so close to that of Plaintiffs and other patients that it approaches and resembles privity.

129. Defendants owes a duty to the medical community, Plaintiffs and other consumers, to conduct appropriate and adequate inspections and tests for all of their products, including the Recalled Digitek®, and to use safe and good manufacturing and production practices, to provide appropriate and adequate information and warnings but they failed to do so.

130. Defendants failed to conduct appropriate or adequate inspections, tests on the Recalled Digitek®.

131. As a direct and proximate result of Defendants' negligent misrepresentations the Plaintiffs were harmed as aforesaid.

WHEREFORE, Plaintiff demands judgment against Defendants for an amount in excess of \$50,000.00, compensatory damages and punitive damages as a jury may determine to be appropriate and necessary plus interest and costs.

COUNT 8
WRONGFUL DEATH

132. Plaintiffs incorporates by reference each preceding and succeeding paragraphs as though set forth fully at length herein.

133. As a direct and proximate result of the aforesaid, some of the Plaintiffs who ingested the defendant's product Avandia were caused to contract the diseases and injuries described herein, causing extreme pain, suffering and mental anguish, and died as direct and proximate result of defendant's negligence, breach of implied and express warranties, failure to warn, and fraud as alleged herein.

WHEREFORE, Plaintiff demands judgment against Defendants for an amount in excess of \$50,000.00, compensatory damages and punitive damages as a jury may determine to be appropriate and necessary plus interest and costs.

COUNT 9
SURVIVAL ACTION

134. Plaintiffs incorporates by reference each preceding and succeeding paragraphs as though set forth fully at length herein.

135. Plaintiffs bring this action on behalf of the Estates of their decedents under 42 Pa. C.S.A. § 8302, and the applicable decisional law.

136. Plaintiffs claim on behalf of said Estates damages suffered by the reason of the death of the decedents, including but not limited to and pain and suffering of Decedents prior to their deaths.

WHEREFORE, Plaintiff demands judgment against Defendants for an amount in excess of \$50,000.00, compensatory damages as a jury may determine to be appropriate and necessary plus interest and costs.

COUNT 10
LOSS OF CONSORTIUM

137. Plaintiffs incorporates by reference each preceding and succeeding paragraphs as though set forth fully at length herein.

138. Plaintiffs' spouses, were at all times relevant herein, the husband/wife of the Plaintiff and as such, lived and cohabited with her.

139. By reason of the foregoing, Plaintiff's spouse has necessarily paid and has become liable to pay for medical aid, treatment and for medications and funeral expenses, and other liabilities.

140. By reason of the foregoing, Plaintiff's spouse has been caused, presently and in the future, the loss of the spouse's companionship, services, society and the ability of said Plaintiff's spouse in said respect has been impaired and depreciated, and the marital association between husband and wife has been altered, and as such, the Plaintiff's spouse has been caused mental anguish and suffering.

WHEREFORE, Plaintiff demands judgment against Defendants for an amount in excess of \$50,000.00, compensatory damages and punitive damages as a jury may determine to be appropriate and necessary plus interest and costs.

JURY TRIAL DEMANDED

Plaintiff demands that all issues of fact of this case be tried to a properly impaneled jury to the extent permitted under the law.

PRAYER FOR RELIEF

WHEREFORE, Plaintiffs demand judgment against Defendants for damages including exemplary damages if applicable to which they are entitled by law, as well as all costs of this action, to the full extent of the law including:

1. judgment for Plaintiffs and against Defendants;
2. damages to compensate Plaintiffs for injuries sustained as a result of Digitek® use, past and future lost of income proven at trial;

3. judgment against Defendants for the damages resulting from Decedent's death, including, without limitations, Decedent's pecuniary injury, together with all hospital, medical and funeral expenses, as well as compensatory damages.
4. physical pain and suffering of the Plaintiffs; and any and all damages allowed under the law and laws or other statutes and laws that apply and for loss of consortium;
5. pre and post judgment interest at the lawful rate;
6. reasonable attorneys' fees and costs and expert fees;
7. restitution of all purchase costs that Plaintiffs for Digitek® disgorgement of Defendants' profits,
8. exemplary and punitive damages in an amount in excess of the jurisdictional limits, trebled on all applicable Counts;
9. all Bill of Costs elements;
10. a trial by jury on all issues of the case; and,
11. for any other relief as this court may deem equitable and just.

Respectfully submitted,

THE MILLER FIRM, LLC.

By: *Michelle A. DiMartino*

By: Michael J. Miller, Esq.

Attorney ID No. 95102

By: Christopher A. Gomez, Esq.

Attorney ID No. 82899

By: Michele A. DiMartino, Esq.


Attorney ID No. 79081

555 E. City Ave., Ste. 910

Bala Cynwyd, PA 19004

Telephone: (610) 660-0622

LEVIN, FISHBEIN, SEDRAN &
BERMAN

BY: 
Arnold Levin, Esquire

Attorney ID No. 02280

Frederick S. Longer, Esquire

Attorney ID No. 46653

Michael M. Weinkowitz, Esquire

Attorney ID No. 76033

510 Walnut Street, Suite 500

Philadelphia, PA 19106

(215) 592-1500 / (215) 592-4663

(telecopier)

MWeinkowitz@lfsblaw.com

Attorneys for Plaintiff

VERIFICATION


I hereby state:

1. I represent plaintiffs in the Digitek litigation.

2. I verify that the statements made in the foregoing PLAINTIFFS' GENERAL MASTER LONG-FORM COMPLAINT AND JURY DEMAND are true and correct to the best of my knowledge, information and belief;

And

3. I understand that the statements in said PLAINTIFFS' GENERAL MASTER LONG-FORM COMPLAINT AND JURY DEMAND are made subject to the penalties of 18 Pa. C.S. Section 4904 relating to unsworn falsification to authorities.



Attorney for Plaintiffs

Dated: 6.26.09